

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of	:	
	:	
Neville Thomas PETTIT et al.	:	
	:	
Serial No. Not yet assigned	:	Group Art Unit:
	:	
Filed: herewith	:	Examiner: N/A
	:	
For: IMPROVEMENTS IN AND RELATING TO SPRAY GUNS		



CLAIM OF PRIORITY

ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Dear Sir:

In accordance with the provisions of 35 U.S.C. 119, Applicant hereby claims the priority
of:

British Patent Application No. 0103863.7 filed February 16, 2001

of the present application.

Certified copy will be filed in due course.

Respectfully submitted,

LOWE HAUPTMAN GILMAN & BERNER, LLP

A handwritten signature in black ink, appearing to read "Randy A. Noranbrock".

Randy A. Noranbrock
Registration No. 42,940

DATE: February 15, 2002
1700 Diagonal Road, Suite 310
Alexandria, Virginia 22314
Telephone: (703) 684-1111
Facsimile: (703) 518-5499
BJH:RAN:EJ



USA



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ



I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the attached copy of the request for grant of a Patent (Form 1/77) bears an amendment, effected by this office, following a request by the applicant and agreed to by the Comptroller-General.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Stephen Hordley

Dated

12 December 2001

16 FEB 2001
RECEIVED BY FAX

16FEB01 E606772-1 D00853
P01/7700 0.00-0103863.7

PATENTS FORM 1/77

THE PATENT OFFICE

1/77

Patents Act 1977
(Rule 16)

The Patent Office
Cardiff Road
Newport
Gwent NP9 1RH

Request for grant of a Patent

1. Your reference

13515-GB/17152

2. Patent Application Number

0103863.7

16 FEB 2001

3. Full name, address and postcode of the or of each applicant

ITW LIMITED
PO Box 87, Queensway, Fforestfach
Swansea, SA5 4YE, United Kingdom

Patents ADP Number **527507006**

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

4. Title of the invention

IMPROVEMENTS IN AND RELATING TO SPRAY GUNS

5. Name of your agent

HUGHES CLARK & CO

"Address for service" in the United Kingdom to which all correspondence should be sent

114/118 Southampton Row
London WC1B 5AA

*Fry Heath & Spence
The old College
53 High Street
HORLEY, Surrey, RH6 7DN
05880273003*

Patents ADP Number

877008

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number

Country

Priority application number

Date of filing

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:

Yes

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body. (see note (d))

Patents Form 1/77

9. Enter the number of sheets of the following items you are filing with this form. Do not count copies of same document

Continuation sheets of this form

Description	7
Claim(s)	4
Abstract	1
Drawings	1

10. If you are also filing any of the following, state how many against each item.

Priority Documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. We request the grant of a patent on the basis of this application

Signature

Hughes Clark & Co

Date: 16 February 2001

HUGHES CLARK & CO

12. Name and daytime telephone number of person to contact in the United Kingdom

Nicholas C ACHAM
0207 400 6262

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

(a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505


(b) Write your answers in capital letters using black ink or you may type them.

(c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.

(d) If you have answered 'Yes' Patents Form 7/77 will need to be filed.

(e) Once you have filled in the form you must remember to sign and date it.

(f) For details of the fee and ways to pay please contact the Patent Office.



Patents Form 7/77

THE PATENT OFFICE

7/77

Patents Act 1977
(Rule 15)

Statement of inventorship and of
right to grant of a patent

The Patent Office
Cardiff Road
Newport
Gwent NP9 1RH

1. Your reference

13515-GB/17152

2. Patent application number
(if you know it)

0103863.7

16 FEB 2001

3. Full name of the or of each applicant

ITW LIMITED

4. Title of the invention

IMPROVEMENTS IN OR RELATING TO SPRAY GUNS

5. State how the applicant(s) derived the right
from the inventor(s) to be granted a patent

BY EMPLOYMENT

6. How many, if any, additional Patents Forms
7/77 are attached to this form?
(see note (c))

7.

I/We believe that the person(s) named over the page (and on
any extra copies of this form) is/are the inventor(s) of the invention
which the above patent application relates to.

Signature

Date 16 February 2001

HUGHES CLARK & CO

8. Name and daytime telephone number of
person to contact in the United Kingdom

Nicholas C ACHAM
0207 400 6262

Notes

- a) If you need help to fill in this form or you have any questions, please contact the Patent Office on 01645 500505
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there are more than three inventors, please write the names and addresses of the other inventors on the back of another Patents Form 7/77 and attach it to this form.
- d) When an application does not declare any priority, or declares priority from an earlier UK application, you must provide enough copies of this form so that the Patent Office can send one to each inventor who is not an applicant.
- e) Once you have filled in the form you must remember to sign and date it.

Patents Form 7/77

Patents Form 7/77

Enter the full names, addresses and postcodes of the inventors in the boxes and underline the surnames

Philip John MERRIFIELD
17 Holm Oak Close
Verwood
Dorset
BH31 7PP

Patents ADP number (if you know it) 808394 1001

Patents ADP number (if you know it)

Reminder

Have you signed the form?

Patents ADP number (if you know it)

Patents Form 7/77

DUPLICATE

1

IMPROVEMENTS IN AND RELATING TO SPRAY GUNS

This invention relates to improvements in and relating to spray guns, for example the provision of coded spray guns.

5

Background of the Invention

Articles are often coated with a combination of different types of coating. An example of such a coating is paint and examples of combinations of paints include a primer and top coat; a primer, base coat and clear coat; and a primer, an intermediate coat and a top coat. Such coatings are frequently applied by spray gun.

When such coatings are applied by a single spray gun, the gun must be thoroughly cleaned between applications of each type of coating. Alternatively a plurality of spray guns may be provided, each one applying a single type of coating. Thus, for an article requiring to be coated with a primer and a top coat, two spray guns are provided, one for application of the primer and the other for application of the top coat.

20

It is, of course, very important to coat any article with the correct sequence of coating types. Thus, for an article requiring coating with a primer and top coat, it is clearly the primer which must be applied first followed by the top coat. It is not always clear which spray gun supplies which type of coating, and in the absence of some form of coding means indicating the sequence by which spray guns are to be used, it is quite possible for an incorrect sequence of coatings to be applied to an article. The likelihood of such a mistake will increase with the number of types of coatings to be applied to any particular article.

25

GB 2 085 120 A (Lurmark) relates to nozzle and check valve assemblies particularly adapted for use in agriculture and horticulture for spraying, for example, liquid fertilizer or weed inhibitor. In order to select check valves with the appropriate

30

threshold pressure for the liquid to be sprayed, at least part of the exterior surface of the check valve which is visible to the eye is colour coded according to the pressure threshold level. Likewise in order to select the correctly sized nozzle for the liquid to be sprayed, at least part of the surface of the spray nozzle is coloured according to the nozzle size.

US 4 545 534 (Schaefer) discloses an air brush organiser comprising a plurality of air brushes, each air brush delivering a different colour. The organiser includes a colour coding band which passes adjacent all the air brushes such that the portion of band passing adjacent the air brush for applying red paint is coloured red and the portion of band passing adjacent the air brush for applying blue paint is coloured blue. The colour of the coding band, as it passes each air brush reflects the colour of the paint applied by the air brush. Thus the band is coloured according to the following sequence in a clockwise direction: green; blue; purple; red; orange; and yellow.

Spray guns are known comprising a plurality of spray guns, each gun provided with a plastic coloured indicator at the bottom of the handle. Specifically the plurality of spray guns comprises four guns each with a red, green, black or blue indicator but with no two spray guns comprising indicators of the same colour.

The objective of the present invention is to provide a plurality of spray guns for use when applying more than one kind of coating to an article, the spray guns being coded to indicate a sequence by which the spray guns are to be used.

Summary of the Invention

One aspect of the invention provides a set of two or more spray guns for use when applying more than one type of fluid coating to an article, the spray guns bearing a recognisable coding sequence indicating the sequence by which the spray guns are to be used.

By *recognisable coding sequence* is meant a group of indicia, such as letters, numbers, symbols or colours that have a sequence that is recognisable by the relevant public. Thus, for example, the group of numbers 1, 2 and 3, or the words ONE, TWO and THREE, or the group of letters A, B and C define recognisable sequences.

5 Similarly, in those countries where traffic signals have the green-amber-red sequence, the colours green, amber (or yellow or orange) and red would constitute a sequence.

In one particular embodiment, the recognisable coding sequence comprises colours or numbers or letters or words or symbols, in particular the recognisable
10 coding sequence is a recognisable colour sequence. The preferred recognisable colour sequence consists of the colours green, amber and red.

More particularly the invention provides a set as hereinbefore defined, wherein each spray gun comprises a body, a handle attached thereto, a spray head
15 secured to the spray gun body, a trigger for operating the spray gun, and a connector for attachment to a compressed air supply for providing atomisation and spray pattern shaping air, a member of the recognisable coding sequence being located on an upper part of each spray gun.

20 A particularly preferred embodiment of the invention is a set wherein each spray gun comprises a reservoir for supplying the paint or other fluid medium to be sprayed, the recognisable coding sequence being located on at least part of the reservoir. Preferably the reservoir is attached to the upper part of the body.

25 Typically, a set comprises a different member of the recognisable coding sequence located on the same part of each spray gun. By the term *member* is meant, for example, a particular colour or number or letter or word or symbol such as the number 1 in the number sequence 1, 2 and 3 or the colour green in the colour
30 sequence green, amber and red, which in combination with the other members of the sequence form a recognisable coding sequence.

One embodiment of a reservoir comprises a feed cup. If the feed cup

comprises a removable lid, then the recognisable coding sequence can be located on at least part of the removable lid. The feed cup can also be detachable. Furthermore the feed cup and/or the removable lid can be formed from a plastics material.

5 Another aspect of the invention is provided by a set of two or more spray guns wherein each spray gun comprises a body, a handle attached thereto, a spray head secured to the spray gun body, a trigger for operating the spray gun, and a connector for attachment to a compressed air supply for providing atomisation and spray pattern shaping air, a feed cup attached to the upper part of the body for supplying the fluid
10 coating to be sprayed, the feed cup comprising a removable lid, each removable lid bearing a member of a recognisable coding sequence consisting of the colours green, amber and red indicating the sequence by which the spray guns are to be used.

The invention further comprises a set as hereinbefore defined, wherein each
15 spray gun has a reservoir filled with a different fluid coating, each reservoir bearing a different member of the recognisable colour sequence, and wherein for at least one reservoir, the colour of the fluid coating is dissimilar to the colour of the particular member of the recognisable colour sequence borne by the said reservoir.

20 A further aspect of the present invention provides a set of two or more detachable feed cups suitable for use with a single spray gun or a set of spray guns as hereinbefore defined, the feed cups together bearing a recognisable coding sequence indicating the sequence by which the spray guns are to be used.

25 Yet another aspect of the invention is the provision of a set of two or more removable lids suitable for use with a set of two or more detachable feed cups as hereinbefore defined, the removable lids together bearing a recognisable coding sequence as hereinbefore defined.

30 Another aspect of the invention is a method for applying two or more types of coating to an article, using a set of two or more spray guns as hereinbefore defined, each having a reservoir or a feed cup filled with a paint or fluid medium to be

5

sprayed, each spray gun bearing a member of the recognisable coding sequence, comprising the steps:

- 5
- a. applying the paint or fluid medium to be delivered by the spray gun bearing the first member of the recognisable coding sequence;
 - b. applying the paint or fluid medium to be delivered by the spray gun bearing the second member of the recognisable coding sequence; and optionally,
 - 10 c. applying the paint or fluid medium to be delivered by the spray gun bearing the third member of the recognisable coding sequence; and optionally thereafter for further members.

15 A further aspect of the present invention is the provision of a method for applying two or more types of coating to an article, using a single spray gun, and a set of detachable feed cups as hereinbefore defined, each detachable feed cup being filled with a paint or fluid medium to be sprayed, comprising the steps:

- 20
- d. attaching the detachable feed cup bearing the first member of the recognisable coding sequence to the spray gun and applying the paint or fluid medium to be delivered by the spray gun;
 - e. attaching the detachable feed cup bearing the second member of the recognisable coding sequence to the spray gun and applying the paint or fluid medium to be delivered by the spray gun; and optionally,
 - 25 f. attaching the detachable feed cup bearing the third member of the recognisable coding sequence to the spray gun and applying the paint or fluid medium to be delivered by the spray gun; and optionally thereafter for further members.

30 **Brief Description of the Drawing**

Figure 1 is a plan view of a spray gun facing to the left fitted with a gravity

feed cup.

Detailed Description of the Preferred Embodiment

5

The invention will be understood in greater detail from the following description of a preferred embodiment thereof given by way of example only and with reference to the accompanying drawing.

10

Referring now to Figure 1 of the drawings, the spray gun has a body 4 having an integral handle 3 pendant from one end of the spray gun, and a spray head 5 secured to the opposite end of the spray gun by a retaining ring 6. A trigger 7 is secured to the body 4 by a screw 8 to pivot towards the handle 3 when manually squeezed to turn on the spray gun. A compressed air hose (not shown) can be attached to a connector 9 located at the free end of handle 3. Compressed air from the hose is supplied through passages within the spray gun to provide atomisation and spray pattern shaping air to the air cap 5. Paint or other fluid medium to be sprayed enters the spray gun through a threaded bore 10 and is supplied to the fluid discharge orifice, located in the spray head, via internal passageways within the spray gun. A gravity feed cup 1 is attached to the bore 10 via a screw fit. The gravity feed cup 1 is provided with a lid 2, both constructed from plastics material such as polycarbonate, polyethylene and polypropylene. Additionally the lid is coloured one of either red, yellow or green.

15

20

25

Typically a set of three spray guns are used together, each set comprising spray guns identical in all respects except that the lids 2 of each of the gravity feed cups are coloured according to the recognisable coding sequence red, amber and green.

30

Each of the gravity feed cups 1 are filled with a different type of fluid to be sprayed. For example, if the spray gun operator intends to spray an article with a primer, a base coat and a top coat, then each of the gravity feed cups 1 will be filled

with either the primer, base coat or top coat with the proviso that no two spray guns will apply the same coating.

5 The choice of coating to be sprayed from each spray gun is dependent on its position within its spraying sequence. Thus the spray gun with the green lid 2 will spray the primer as this is the first coating to be applied to the article. The spray gun with the amber lid 2 will spray the base coat onto the article as this is the next coating to be applied in the sequence. Lastly the spray gun with the red lid 2 will spray the top coat as this is the final coating to be applied to the article. Thus the sequence of spraying follows the recognised coding sequence of green, amber and red.

10

The invention is not limited by or to the specific embodiment described therein but can undergo considerable variation without departing from the scope of the invention. In particular, it should be appreciated that the invention may be adapted to various known types of spray guns including both high pressure air atomisation and low volume low pressure (HVLP) spray guns and spray guns having either suction fluid feed or gravity fluid feed or pressure feed or a combination of types of fluid feed.

15

Claims

1. A set of two or more spray guns for use when applying two or more types of fluid coating to an article, the spray guns bearing a recognisable coding sequence indicating the sequence by which the spray guns are to be used.
2. A set according to Claim 1 wherein the spray guns bear a recognisable coding sequence comprising colours or numbers or letters or words or symbols.
3. A set according to Claim 2 wherein the recognisable coding sequence is a recognisable colour sequence.
4. A set according to Claim 3 wherein the recognisable colour sequence consists of the colours green, amber and red.
5. A set according to any one of the preceding claims wherein each spray gun comprises a body, a handle attached thereto, a spray head secured to the spray gun body, a trigger for operating the spray gun, and a connector for attachment to a compressed air supply for providing atomisation and spray pattern shaping air, a member of the recognisable coding sequence being located on an upper part of each spray gun.
6. A set according to any one of the preceding claims wherein each spray gun comprises a reservoir for supplying the fluid coating to be sprayed, a member of the recognisable coding sequence being located on at least part of each reservoir.
7. A set according to Claim 6 wherein the reservoir is attached to the upper part of the body.
8. A set according to Claim 6 or Claim 7 wherein the reservoir comprises a feed

cup.

9. A set according to Claim 8 wherein the feed cup comprises a removable lid.
- 5 10. A set according to Claim 9 wherein the recognisable coding sequence is located on at least part of the removable lid.
- 10 11. A set of two or more spray guns wherein each spray gun comprises a body, a handle attached thereto, a spray head secured to the spray gun body, a trigger for operating the spray gun, and a connector for attachment to a compressed air supply for providing atomisation and spray pattern shaping air, a feed cup attached to the upper part of the body for supplying the fluid coating to be sprayed, the feed cup comprising a removable lid, each removable lid bearing a member of a recognisable coding sequence consisting of the colours green, 15 amber and red indicating the sequence by which the spray guns are to be used.
12. A set according to any one of Claims 8 to 11 wherein the feed cup is detachable.
- 20 13. A set according to any one of Claims 8 to 12 wherein the feed cup and/or the removable lid is/are formed from a plastics material.
- 25 14. A set according to Claim 3 or any claim dependent thereon, wherein each spray gun has a reservoir filled with a different fluid coating, each reservoir bearing a different member of the recognisable colour sequence, and wherein for at least one reservoir, the colour of the fluid coating is dissimilar to the colour of the particular member of the recognisable colour sequence borne by the said reservoir.
- 30 15. A set of two or more detachable feed cups suitable for use with a single spray gun or a set of spray guns as defined in any one of the preceding Claims, the

feed cups together bearing a recognisable coding sequence as defined in any one of the preceding Claims.

- 5 16. A set of two or more removable lids suitable for use with a set as defined in Claim 15, the removable lids together bearing a recognisable coding sequence as defined in any one of the preceding Claims.
- 10 17. A method for applying two or more types of coating to an article, using a set of two or more spray guns as defined in Claims 1 to 14, each having a reservoir or a feed cup filled with a paint or fluid medium to be sprayed, each spray gun bearing a member of the recognisable coding sequence, comprising the steps:
- 15 a) applying the paint or fluid medium to be delivered by the spray gun bearing the first member of the recognisable coding sequence;
- b) applying the paint or fluid medium to be delivered by the spray gun bearing the second member of the recognisable coding sequence; and optionally,
- 20 c) applying the paint or fluid medium to be delivered by the spray gun bearing the third member of the recognisable coding sequence; and optionally thereafter for further members.
- 25 18. A method for applying two or more types of coating to an article, using a single spray gun, and a set of detachable feed cups according to Claim 15, each detachable feed cup being filled with a paint or fluid medium to be sprayed, comprising the steps:
- 30 a) attaching the detachable feed cup bearing the first member of the recognisable coding sequence to the spray gun and applying the paint or fluid medium to be delivered by the spray gun;
- b) attaching the detachable feed cup bearing the second member of the recognisable coding sequence to the spray gun and applying the paint or

11

- fluid medium to be delivered by the spray gun; and optionally,
- c) attaching the detachable feed cup bearing the third member of the recognisable coding sequence to the spray gun and applying the paint or fluid medium to be delivered by the spray gun; and optionally thereafter for further members.

5

19. A set of two or more of spray guns substantially as described with reference to the description, drawings and claims.

10

20. A set of two or more detachable feed cups substantially as described with reference to the description, drawings and claims.

21. A set of two or more removable lids substantially as described with reference to the description, drawings and claims.

ABSTRACT

IMPROVEMENTS IN AND RELATING TO SPRAY GUNS

The invention relates to a set of two or more spray guns for use when applying two or more types of fluid coating to an article, the spray guns bearing a recognisable coding sequence indicating the sequence by which the spray guns are to be used.

1/1




FIGURE 1

